

	Hits	Search Text	DBs
1	1142	in\$1line with log\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	794	1 and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	6	(in\$1line with log\$4 with size\$1 with (adjust\$4 or chang\$4 or alter\$5 or modif\$6 or amend\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	3	3 and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	333	(in\$1line near5 log\$4) and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	31	5 and ( size\$1 with (adjust\$4 or chang\$4 or alter\$5 or modif\$6 or amend\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	0	6 and ((logical or virtual) near5 volume\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	0	6 and ((logical or virtual) with volume\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	12	6 and (logical or virtual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	1	9 and administrator\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	11	9 not 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	16	in\$1line with log\$4 with size\$1 and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	11	12 and ((log\$4 or size\$1) with (adjust\$4 or chang\$4 or alter\$5 or modif\$6 or amend\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB